



OPUS
TUFTED

Calderdale™



Alexandria

OPUS

Step into the rich history of the Roman Empire with Opus, a tufted carpet collection of herringbone patterns. With eight captivating colourways to choose from, Opus is designed with versatility in mind to bring the timeless herringbone pattern into the modern era.

Dating back to the Roman Empire, the herringbone pattern was a marvel of engineering, revolutionising road construction with its interlocking paving system that absorbed the pressures of traffic and footfall.

Drawing inspiration from this legacy of innovation, our Opus collection pays homage to the resilience and durability of the herringbone pattern as our tufted carpet is designed to cleverly absorb the stresses of foot traffic, providing exceptional strength and endurance in every step.

Whether it's a peaceful guest room or a busy reception area, you can trust that Opus will enhance the ambiance and elevate your interior.






Roma




Sicilia


Width | 13ft 1" (4.00m)
 Repeat | 1.5" (0.04m) +/- 3%




ALEXANDRIA



MILANO




SICILIA



ROMA



Roselle



Amalfi



Alexandria




Milano



Milano



Roselle



Verona




Siena




Sicilia




Roma




VERONA



AMALFI



SIENA



ROSELLE



Verona











Sienna

Width | 13ft 1" (4.00m)
 Repeat | 1.5" (0.04m) +/- 3%



Specification

Construction	Graphics Tufted
Width	4m
Yarn	2 ply, 2/55
Pile Content	80% Wool, 20% Nylon
Pile Height	6.5mm
Backing	Jute, Secondary
Gauge	31.5/10cm (1/8th)
Yarn Weight	1220g/m2, 36oz/yd2
Total Finished Weight	C2373g/m2, 70oz/yd2
Suitability	Heavy Contract
Tog Rating	0.90
Flammability	BS:BS4790 1987(1996) Pass - Low Radius of Char
Light Fastness	BS: 1006(1-8) 6
Rub Fastness	BS: 1006(1-5) 4-5
Shampoo Colour Fastness	BS: 1006(1-5) 4-5
IMO Certificate (Marine Equipment Directive 96/98/EC)	II-2/3.40.4 IMO Resolution A 653(16) II-2/5.3.24 IMO Resolution MSC 61(67) Annex 1 Part 5 II-2/6.2 IMO Resolution MSC 61(67) Annex 1 Part 2

Light Fastness (EN1307:2005)		Sustainable & Hypoallergenic	
Luxury Class 4 (EN 1307:2005)		Moth Resistant	
IMO Wheelmark		Flame Retardant	
CE EN 14041 2004		Made in Britian	

All specifications subject to normal manufacturing tolerances. Production dye can vary in colour from batch to batch. Cut-pile carpets, may show shading/pile reversal.

Dewsbury Mills, Thornhill Road, Dewsbury, WF12 9QE, United Kingdom
Tel +44 (0) 1924 487 800 Fax +44 (0) 1924 487 901 Email hello@calderdale.co.uk
Registered in England No 02151352 VAT No. 481185061
www.calderdale.co.uk

Calderdale™